Conical aluminum pole with embedded base - Ø165 mm diameter

CE UKCA

PABK.D165-S90-H6

Variant

Diameter / Dimensions (D)	Ø165mm
Thickness	3mm
Spigot diameter (S)	Ø90mm
Height (H)	6m
Weight	28.5 kg
SL	1.8m
AD	400*90mm
OP	500mm
PD	1m
CD	150*75mm
CP	500mm

Options

We reserve the right to change specifications without prior written notice. Edition: 02.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

Accessories (To be ordered separately)

Mounting arms

Mounting arm - 2 sides

PTCD

Mounting arms

Mounting arm - 1 side

PTCS

We reserve the right to change specifications
without prior written notice. Edition: 02.05.2024.
For current version visit heperlighting.com. All
flux (±%7 tolerance) and power values (±%10
tolerance) are derived following appropriate IES,
CIE, and applicable standards.

Project name				Type		Quantity	
Date			Note				

PABK.D165-S90-H6-___

Spigot diameter (S)	Height (H)	Product colours	Accessories
[S90] Ø90mm	**[H6]** 6m	**[HM1]** Black	***To be ordered separately***
[S76] Ø76mm mm	**[H7]** 7m m	**[HM2]** Dark grey	**Mounting arms**
	[H8] 8m m	**[HM3]** Anthracite grey	**[PTCD]** Mounting arm - 2 sides
	[H9] 9m m	**[HM4]** Light grey	**[PTCS]** Mounting arm - 1 side
		[HM5] White	
		[HM6] Bronze	
		[CC] Custom colour (Please specify RAL code)	