
## Conical aluminum pole with CE 믿놈 embedded base - Ø180 mm diameter



PABK.D180-S76-H9





HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

## HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 18.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

1/3

## Accessories (To be ordered separately)

PTCS

Mounting arms	Mounting arms	
Mounting arm - 2 sides	Mounting arm - 1 side	

PTCD

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

## HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 18.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

Project name			Туре	Quantity	
Date	Note		•	•	
PABK.D180-S76-H9					
Spigot diameter (S)	Height (H)	Product colours	Extras	Accessories	
[\$76]	[H9]	[HM1] Black [HM2]	LED Caps	To be ordered separately	
Ø76mm	9m		<b>[LC1]</b> LED caps for pole top (Circular)		
<b>[S90]</b> Ø90mm mm	[ <b>H10]</b> 10m m			Mounting arms	
[H8] 8m m[HM3] Anthracite	[HM3] Anthracite grey	<b>[LC2]</b> LED caps for pole top (Triangle)	[PTCD] Mounting arm - 2 sides [PTCS]		
	[HM4]	Light grey	Spigot converter	Mounting arm - 1 side	
[	[HM5] White	<b>[SC3]</b> Ø60 mm to Ø50 mm			
		[HM6] Bronze			
	[CC] (Clastom colour (Please specify RAL code)				

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com HEPER Europe GmbH Ahornweg 5a, 58675

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 18.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

3/3