
## Round tapered aluminum pole (direct burial) - Ø7 7/8"



PABK.D200-S90-H12



## Configuration

Diameter / Dimensions (D)	Ø7 7/8"
Thickness	0.2"
Spigot / End diameter (S)	Ø3 1/2"
Height (H)	39.4'
Weight	240.7 lb
SL	15.7'
AD	15 3/4 x 3 15/16"
OP	19 11/16"
PD	5.58'
CD	5.9x2.9"
CP	19 11/16"

Options

HEPER USA LLC W227 N546 Westmound Drive Waukesha, 53186 Wisconsin, United States +1 312 910 9740 infoUS@hepergroup.com

## Accessories (To be ordered separately)

PTCD

Mounting arms	Mounting arms
Ū I S	
Mounting arm - 1 side	Mounting arm - 2 sides

PTCS

HEPER USA LLC W227 N546 Westmound Drive Waukesha, 53186 Wisconsin, United States +1 312 910 9740 infoUS@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 17.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

Project name			Туре	Quantity
Date	Note			
PABK.D200-S9	0-H12			
Spigot / End diameter (S)	Height (H)	Product colors	Extras	Accessories
<b>[S90]</b>	[H12]	[HM1] LED Caps	To be ordered	
Ø3 1/2" [ <b>\$76</b> ]	39.4' [H10]	Black	<b>[LC1]</b> LED caps for pole top	Separately Mounting arms
Ø3"	32.8' [H11] 36.1'	<pre>[HM2] Dark gray [HM3] Anthracite gray [HM4] Light gray [HM5] White [HM6] Bronze [CC] Custom color (Please specify RAL code)</pre>	(Circular) <b>[LC2]</b> LED caps for pole top (Triangle)	[PTCS] Mounting arm - 1 side [PTCD] Mounting arm - 2 sides