Cylindrical aluminum pole CE 믿습 with flange plate - Ø114 mm diameter



PAFC.D114-S114-H5



в

Variant

Diameter / Dimensions (D)	Ø114mm
Thickness	3mm
Spigot diameter (S)	Ø114mm
Height (H)	5m
Weight	19.6 kg
AD	400*85mm
OP	500mm

Options

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 05.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

Accessories (Included)

Accessories (To be ordered separately)

Anchorages

Flanges



F0401B F0401B







Mounting arms

C1C2B

90BJ004 N

Mounting arm - 2 sides PTCD

Mounting arms



Mounting arm - 1 side PTCS

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 05.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

Project n	ame				Туре	Quantity
Date		1	Note			1 1
PAFC.D	114-S114	·H5	_			
Spigot dia	ameter (S)	Height (H)		Product colours	Extras	Accessories
[S114] Ø114mm		[H5]		[HM1]	Spigot converter	Included
		Black	[SC4]	Flanges		
	[H3] 3m m		[HM2] Dark grey	Ø114 mm to Ø89 mm	[F0401B] F0401B	
	[H4] 4m m		[HM3] Anthracite grey		To be ordered separately	
	[HM4]		Flange covers			
			Light grey			[C1C2B]
				[HM5] White		C1C2B
				[HM6]		Anchorages
	Bronze		[90BJ004] 90BJ004			
		[CC] Solution (Content of the second		Mounting arms		
			specify RAL code)		[PTCD] Mounting arm - 2 sides [PTCS] Mounting arm - 1 sid	

HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 05.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.