Cylindrical aluminum pole CE 믿습 with flange plate - Ø114 mm diameter



PAFC.D114-S114-H4



8 → . H A0 - _____

Variant

Diameter / Dimensions (D)	Ø114mm
Thickness	3mm
Spigot diameter (S)	Ø114mm
Height (H)	4m
Weight	16.8 kg
AD	400*85mm
OP	500mm

Options

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 04.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

Accessories (Included)

Accessories (To be ordered separately)

Flanges



F0303B





Anchorages



Mounting arms

C1C2B

90BJ002 N 90BJ002

Mounting arm - 2 sides

PTCD

Mounting arms



Mounting arm - 1 side PTCS

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 04.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

2/3

			Туре	Quantity
	Note			
5114-H4				
(S) Height (H	1)	Product colours	Extras	Accessories
[H4]		[HM1] Spigot converter	Included	
		Black	[SC4] Ø114 mm to Ø89 mm	Flanges
3m m		[HM2] Dark grey		[F0303B] F0303B
[H5] 5m m		[HM3] Anthracite grey		To be ordered separately
		[HM4]	Flange covers	
				[C1C2B]
		White		C1C2B
		[HM6]		Anchorages
		Bronze		[90BJ002] 90BJ002
[CC] (Custom colour (Please specify RAL code)		Mounting arms		
		-	[PTCD] Mounting arm - 2 sides [PTCS] Mounting arm - 1 sid	
	(H4) 4m (H3) 3m m (H5)	5114-H4 (S) Height (H) [H4] 4m [H3] 3m m [H5]	5114-H4 (S) Height (H) Product colours [H4] 4m [HM1] Black [HM2] Dark grey [H5] 5m m [HM3] Anthracite grey [HM4] Light grey [HM5] White [HM6] Bronze [CC] (S)	Note Product colours Extras 5114-H4 IHM1] Spigot converter if(s) Height (H) Product colours Extras [H4] [HM1] Spigot converter Black IHM2] Immediate [H5] IHM3] Immediate [H5] [HM3] Immediate [H5] IHM3] Immediate [H5] IHM3] Immediate [H6] Immediate Immediate [H6] Immediate Immediate [IHM5] Immediate Immediate [IHM6] Immediate Immediate [IM6] Immediate Immediate

HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 04.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.