Cylindrical aluminum pole CE CA with flange plate - Ø122 mm diameter



PAFC.D122-S122-H5



Variant

Diameter / Dimensions (D)	Ø122mm
Thickness	3mm
Spigot diameter (S)	Ø122mm
Height (H)	5m
Weight	20.7 kg
AD	400*90mm
OP	500mm

Options

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 02.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

Accessories (Included)

Accessories (To be ordered separately)

Anchorages

Flanges



F0402B







Mounting arms

C1D2B C1D2B

^{200 mm} 600 mr 27/0° 600 mr 90B1004

90BJ004

90BJ004

Mounting arm - 2 sides

PTCD

Mounting arms



Mounting arm - 1 side PTCS

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 02.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

2/3

Project name			Туре	Quantity
Date	Note			·
PAFC.D122-S122	-H5			
Spigot diameter (S)	Height (H)	Product colours	Accessories	
[S122]	[H5]	[HM1]	Included	
Ø122mm	5m	Black	Flanges	
	[H3] 3m m	[HM2] Dark grey	[F0402B] F0402B	_
	[H4] 4m m	[HM3] Anthracite grey	To be ordered separately	
	[H6] 6m m	[HM4]	Flange covers	_
		Light grey	[C1D2B]	
		[HM5] White	C1D2B	_
			Anchorages	
		[HM6] Bronze	[90BJ004] 90BJ004	
		[CC] (Classe	Mounting arms	_
		specify RAL code)	[PTCD] Mounting arm - 2 sides	
			[PTCS] Mounting arm - 1 side	

HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 02.05.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

3/3