## Cylindrical aluminum pole CE CA with flange plate - Ø122 mm diameter



PAFC.D122-S122-H6



# Variant

Diameter / Dimensions (D)	Ø122mm
Thickness	3mm
Spigot diameter (S)	Ø122mm
Height (H)	6m
Weight	23.7 kg
AD	400*90mm
OP	500mm

Options

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

#### HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 27.04.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

## Accessories (Included)

### Accessories (To be ordered separately)

Anchorages

#### Flanges



F0402B







Mounting arms

C1D2B

90BJ004

90BJ004

Mounting arm - 2 sides

PTCD

### Mounting arms



Mounting arm - 1 side PTCS

HPR Pazarlama A.Ş. Başkent OSB 22. Cd. No: 2, Malıköy, Temelli, Sincan, 06909 Ankara, Turkey +90 312 267 54 30 info@hepergroup.com

#### HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 27.04.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

2/3

Project name			Туре	Quantity
Date	Note		•	
PAFC.D122-S122	-H6			
Spigot diameter (S)	Height (H)	Product colours	Accessories	
[S122]		Included		
Ø122mm	6m	Black	Flanges	
	<b>[H3]</b> 3m m	[HM2] Dark grey	<b>[F0402B]</b> F0402B	
	<b>[H4]</b> 4m m	[HM3] Anthracite grey	To be ordered separately	-
	<b>[H5]</b> 5m m	[HM4]	Flange covers	_
		Light grey	[C1D2B]	-
		[HM5] White	C1D2B	_
			Anchorages	
		[HM6] Bronze [CC] (Please)	<b>[90BJ004]</b> 90BJ004	
			Mounting arms	_
		specify RAL code)	[PTCD] Mounting arm - 2 sides	
			<b>[PTCS]</b> Mounting arm - 1 side	

### HEPER Europe GmbH

Ahornweg 5a, 58675 Hemer, Germany +49 237 2901 2975 infoEU@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 27.04.2024. For current version visit heperlighting.com. All flux (±%7 tolerance) and power values (±%10 tolerance) are derived following appropriate IES, CIE, and applicable standards.