Round cylindrical aluminum pole with base plate - Ø6 1/2"



PAFC.D165-S165-H8



Configuration

| Diameter / Dimensions (D) | Ø6 1/2" |
|---------------------------|---------------|
| Thickness | 0.1" |
| Spigot / End diameter (S) | Ø6 1/2" |
| Height (H) | 26.2' |
| Weight | 50.7 lb |
| AD | 15 3/4 x 3.5" |
| OP | 19 11/16" |

Options

HEPER USA LLC W227 N546 Westmound Drive Waukesha, 53186 Wisconsin, United States +1 312 910 9740 infoUS@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 02.05.2024. For current version visit heperlighting.com. All flux (\pm %7 tolerance) and power values (\pm %10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

Accessories (Included)

Accessories (To be ordered separately)

Anchor bolts

Base plates



F0703B







Mounting arms

C1G2C C1G2C

92//32 750 mm 2917/32 90CJ006

90CJ006

Mounting arm - 2 sides PTCD

Mounting arms



Mounting arm - 1 side PTCS

HEPER USA LLC W227 N546 Westmound Drive Waukesha, 53186 Wisconsin, United States +1 312 910 9740 infoUS@hepergroup.com We reserve the right to change specifications without prior written notice. Edition: 02.05.2024. For current version visit heperlighting.com. All flux (\pm %7 tolerance) and power values (\pm %10 tolerance) are derived following appropriate IES, CIE, and applicable standards.

| Project name | | | Туре | Quantity |
|------------------------------|----------------------|--|--|----------|
| Date | Note | | | |
| PAFC.D165-S1 | 65-Н8 | | | |
| Spigot / End diameter (S) | Height (H) | Product colors | Accessories | |
| [5165] Ø6 1/2" | [H8] | [HM1] | Included | |
| | 26.2' | Black | Base plates | |
| | [H6] 19.7' | [HM2] Dark gray | [F0703B] F0703B | |
| | [H7] 23.0' | [HM3] Anthracite gray | To be ordered separately | |
| | [H9] 29.5' | [HM4] | Bolt covers | _ |
| | | Light gray | [C1G2C] | _ |
| | | [HM5] White | C1G2C | _ |
| | | [HM6] | Anchor bolts | |
| | | Bronze | [90CJ006] 90CJ006 | |
| | | [CC] Second Seco | Mounting arms | |
| | | | [PTCD] Mounting arm - 2 sides | |
| | | | [PTCS] Mounting arm - 1 side | |
| | | | | |